

TEST REPORT

Client company : MILESTONE INTERNATIONAL TRADE (NINGBO) CO.,LTD
Client address : Rooms 701, the 7th floor, Block 1, No. 5 Xingyeyi Road, Ningbo free trade zone, Zhejiang
Manufacturer : MILESTONE INTERNATIONAL TRADE (NINGBO) CO.,LTD
Address : Rooms 701, the 7th floor, Block 1, No. 5 Xingyeyi Road, Ningbo free trade zone, Zhejiang

Report on the submitted samples said to be:

Sample Name : TIGGO Symbol Column&Super Entrance
Trade Mark : N/A
Style/ Item No. : W626, W6700, W6000, W5500, W5370, W4270, W3670, W395
Sample Receiving Date : May 14, 2025
Testing Period : May 14, 2025 ~ May 22, 2025
Results : Please refer to next page(s).

Summary of Test Results:

TEST REQUEST

CONCLUSION

A RoHS Directive (EU) 2017/2102 amending Annex II to Directive 2011/65/EU.

POSITIVE

Signed for and on behalf of AOCE

Written By:

Sunny Su

Sunny Su
File administrators

Approved by:

Alice Zhou

Alice Zhou
Manager

Results:

A. EU RoHS Directive 2011/65/EU and its amendment directives on XRF

Test method: With reference to IEC 62321-3-1:2013, Screening by X-ray Fluorescence Spectroscopy (XRF)

| Seq. No. | Tested Part(s) | Results | | | | |
|-------------|------------------------|---------|----|----|----|----|
| | | Pb | Cd | Hg | Cr | Br |
| 1 | Black metal enclosure | BL | BL | BL | BL | BL |
| 2 | Silver metal enclosure | BL | BL | BL | BL | BL |
| 3 | White metal enclosure | BL | BL | BL | BL | BL |
| 4 | Silver metal screw | BL | BL | BL | BL | BL |
| 5 | Lamp shade | BL | BL | BL | BL | BL |
| 6 | Lamp bead | BL | BL | BL | BL | BL |
| 8 | Black wire | BL | BL | BL | BL | BL |
| 9 | Red wire | BL | BL | BL | BL | BL |
| 10 | Green wire | BL | BL | BL | BL | BL |
| 11 | Yellow wire | BL | BL | BL | BL | BL |
| 12 | Blue wire | BL | BL | BL | BL | BL |
| 13 | White plastic(plug) | BL | BL | BL | BL | BL |
| 14 | Silver metal(plug) | BL | BL | BL | BL | BL |
| 15 | Chips of resistance | BL | BL | BL | BL | BL |
| 16 | Chips of capacitance | BL | BL | BL | BL | BL |
| 17 | PCB | BL | BL | BL | BL | BL |
| 18 | Solder on PCB | BL | BL | BL | BL | BL |

Note:

-- = Not Conducted
 * = Screening by XRF and detected by chemical method. The test results of chemical method please refer to next pages.

- i Results were obtained by XRF for primary screening, and further chemical testing by ICP (for Cd, Pb, Hg), UV-Vis (for Cr(VI)) and GC-MS (for PBBs, PBDEs) are recommended to be performed, if the concentration exceeds the below warning value according to IEC 62321-3-1:2013.

| Element | Unit | Non-metal | Metal | Composite Material |
|---------|-------|--|--|--|
| Cd | mg/kg | $BL \leq 70 - 3\sigma < X < 130 + 3\sigma \leq OL$ | $BL \leq 70 - 3\sigma < X < 130 + 3\sigma \leq OL$ | $BL \leq 50 - 3\sigma < X < 150 + 3\sigma \leq OL$ |
| Pb | mg/kg | $BL \leq 700 - 3\sigma < X < 1300 + 3\sigma \leq OL$ | $BL \leq 700 - 3\sigma < X < 1300 + 3\sigma \leq OL$ | $BL \leq 500 - 3\sigma < X < 1500 + 3\sigma \leq OL$ |
| Hg | mg/kg | $BL \leq 700 - 3\sigma < X < 1300 + 3\sigma \leq OL$ | $BL \leq 700 - 3\sigma < X < 1300 + 3\sigma \leq OL$ | $BL \leq 500 - 3\sigma < X < 1500 + 3\sigma \leq OL$ |
| Cr | mg/kg | $BL \leq 700 - 3\sigma < X$ | $BL \leq 700 - 3\sigma < X$ | $BL \leq 500 - 3\sigma < X$ |
| Br | mg/kg | $BL \leq 300 - 3\sigma < X$ | -- | $BL \leq 250 - 3\sigma < X$ |

Note:

BL = Below Limit
OL = Over Limit
X = Inconclusive

- ii The XRF screening test for RoHS elements – The reading may be different to the actual content in the sample be of non-uniformity composition.
- iii The maximum permissible limit is quoted from the document 2005/618/EC amending RoHS directive 2011/65/EU:

| RoHS Restricted Substances | Maximum Concentration Value (mg/kg) (by weight in homogenous materials) |
|---------------------------------------|--|
| Cadmium (Cd) | 100 |
| Lead (Pb) | 1000 |
| Mercury (Hg) | 1000 |
| Hexavalent Chromium (Cr(VI)) | 1000 |
| Polybrominated biphenyls (PBBs) | 1000 |
| Polybrominated diphenylethers (PBDEs) | 1000 |
| Bis(2-ethylhexyl) phthalate(DEHP) | 1000 |
| Butyl benzyl phthalate(BBP) | 1000 |
| Dibutyl phthalate(DBP) | 1000 |
| Diisobutyl phthalate(DIBP) | 1000 |

Disclaimers:

This XRF Screening report is for reference purposes only. The applicant shall make its/his/her own judgment as to whether the information provided in this XRF screening report is sufficient for its/his/her purposes.

The result shown in this XRF screening report will differ based on various factors, including but not limited to, the sample size, thickness, area, surface flatness, equipment parameters and matrix effect (e.g. plastic, rubber, metal, glass, ceramic etc.). Further wet chemical pre-treatment with relevant chemical equipment analysis are required to obtain quantitative data.

B. The Test Results of Chemical Method:

Test method:

Lead & Cadmium Content:

With reference to IEC 62321-5:2013, by acid digestion and analysis was performed by inductively coupled plasma atomic emission spectrometer (ICP-AES)

Mercury Content:

With reference to IEC 62321-4:2013, by acid digestion and analysis was performed by inductively coupled plasma atomic emission spectrometer (ICP-AES)

Hexavalent Chromium Content:

With reference to IEC 62321-7-1:2013, by alkaline digestion and analysis was performed by UV-visible spectrophotometer (UV-Vis)

PBBs & PBDEs Content:

With reference to IEC 62321-6:2015, by solvent extraction and analysis was performed by gas chromatographic-mass spectrometer (GC-MS)

Phthalates Content:

With reference to IEC 62321-8:2017, by gas chromatography-mass spectrometry (GC-MS)

1) The test results of Lead (Pb)

| Item | Unit | MDL | Results | | Limit |
|-------------------|----------|----------|-------------|-------------|------------|
| | | | (1) | (2) | |
| Lead Content (Pb) | mg/kg | 2 | 38 | 21 | 1000 mg/kg |
| Conclusion | / | / | Pass | Pass | / |

2) The test results of PBBs & PBDEs

| Item | Unit | MDL | Results | | Limit |
|--|-------|-----|---------|------|------------|
| | | | 1 | 2 | |
| Polybrominated Biphenyls (PBBs) | | | | | |
| Monobromobiphenyl | mg/kg | 5 | N.D. | N.D. | |
| Dibromobiphenyl | mg/kg | 5 | N.D. | N.D. | |
| Tribromobiphenyl | mg/kg | 5 | N.D. | N.D. | |
| Tetrabromobiphenyl | mg/kg | 5 | N.D. | N.D. | |
| Pentabromobiphenyl | mg/kg | 5 | N.D. | N.D. | |
| Hexabromobiphenyl | mg/kg | 5 | N.D. | N.D. | |
| Heptabromobiphenyl | mg/kg | 5 | N.D. | N.D. | |
| Octabromobiphenyl | mg/kg | 5 | N.D. | N.D. | |
| Nonabromodiphenyl | mg/kg | 5 | N.D. | N.D. | |
| Decabromodiphenyl | mg/kg | 5 | N.D. | N.D. | |
| Total content | mg/kg | / | N.D. | N.D. | 1000 mg/kg |
| Polybrominated Diphenylethers (PBDEs)(Mon-Deca) | | | | | |
| Monobromodiphenyl ether | mg/kg | 5 | N.D. | N.D. | |
| Dibromodiphenyl ether | mg/kg | 5 | N.D. | N.D. | |
| Tribromodiphenyl ether | mg/kg | 5 | N.D. | N.D. | |
| Tetrabromodiphenyl ether | mg/kg | 5 | N.D. | N.D. | |
| Pentabromodiphenyl ether | mg/kg | 5 | N.D. | N.D. | |
| Hexabromodiphenyl ether | mg/kg | 5 | N.D. | N.D. | |
| Heptabromodiphenyl ether | mg/kg | 5 | N.D. | N.D. | |
| Octabromodiphenyl ether | mg/kg | 5 | N.D. | N.D. | |
| Nonabromodiphenyl ether | mg/kg | 5 | N.D. | N.D. | |
| Decabromodiphenyl ether | mg/kg | 5 | N.D. | N.D. | |
| Total content | mg/kg | / | N.D. | N.D. | 1000 mg/kg |

Shenzhen AOCE Electronic Technology Service Co., Ltd.

Room 202, 2nd Floor, No.12th Building of Xinhe Tongfuyu Industrial Park, Fuhai Street, Baoan District, Shenzhen, Guangdong, China

Tel: (86)755-85277785

Fax: (86)755-23705230

Http://www.aoc-cert.com

Email: postmaster@aoc-cert.com

Report No.:AOC250522007R

| Item | Unit | MDL | Results | | | | | Limit |
|-----------------------------------|-------|-----|---------|------|------|------|------|------------|
| | | | (1) | (2) | (3) | (4) | (5) | |
| Dibutyl Phthalate(DBP) | mg/kg | 50 | N.D. | N.D. | N.D. | N.D. | N.D. | 1000 mg/kg |
| Benzylbutyl Phthalate(BBP) | mg/kg | 50 | N.D. | N.D. | N.D. | N.D. | N.D. | 1000 mg/kg |
| Bis(2-ethylhexyl) Phthalate(DEHP) | mg/kg | 50 | N.D. | N.D. | N.D. | N.D. | N.D. | 1000 mg/kg |
| Diisobutyl phthalate(DIBP) | mg/kg | 50 | N.D. | N.D. | N.D. | N.D. | N.D. | 1000 mg/kg |

| Item | Unit | MDL | Results | | | | | Limit |
|-----------------------------------|-------|-----|---------|------|------|------|------|------------|
| | | | (6) | (7) | (8) | (9) | (10) | |
| Dibutyl Phthalate(DBP) | mg/kg | 50 | N.D. | N.D. | N.D. | N.D. | N.D. | 1000 mg/kg |
| Benzylbutyl Phthalate(BBP) | mg/kg | 50 | N.D. | N.D. | N.D. | N.D. | N.D. | 1000 mg/kg |
| Bis(2-ethylhexyl) Phthalate(DEHP) | mg/kg | 50 | N.D. | N.D. | N.D. | N.D. | N.D. | 1000 mg/kg |
| Diisobutyl phthalate(DIBP) | mg/kg | 50 | N.D. | N.D. | N.D. | N.D. | N.D. | 1000 mg/kg |

| Item | Unit | MDL | Results | | | | | Limit |
|-----------------------------------|-------|-----|---------|------|------|------|------|------------|
| | | | (11) | (12) | (13) | (14) | (15) | |
| Dibutyl Phthalate(DBP) | mg/kg | 50 | N.D. | N.D. | N.D. | N.D. | N.D. | 1000 mg/kg |
| Benzylbutyl Phthalate(BBP) | mg/kg | 50 | N.D. | N.D. | N.D. | N.D. | N.D. | 1000 mg/kg |
| Bis(2-ethylhexyl) Phthalate(DEHP) | mg/kg | 50 | N.D. | N.D. | N.D. | N.D. | N.D. | 1000 mg/kg |
| Diisobutyl phthalate(DIBP) | mg/kg | 50 | N.D. | N.D. | N.D. | N.D. | N.D. | 1000 mg/kg |

| Item | Unit | MDL | Results | | | | | Limit |
|-----------------------------------|-------|-----|---------|------|------|----|----|------------|
| | | | (16) | (17) | (18) | -- | -- | |
| Dibutyl Phthalate(DBP) | mg/kg | 50 | N.D. | N.D. | N.D. | -- | -- | 1000 mg/kg |
| Benzylbutyl Phthalate(BBP) | mg/kg | 50 | N.D. | N.D. | N.D. | -- | -- | 1000 mg/kg |
| Bis(2-ethylhexyl) Phthalate(DEHP) | mg/kg | 50 | N.D. | N.D. | N.D. | -- | -- | 1000 mg/kg |
| Diisobutyl phthalate(DIBP) | mg/kg | 50 | N.D. | N.D. | N.D. | -- | -- | 1000 mg/kg |

Shenzhen AOCE Electronic Technology Service Co., Ltd.
Room 202, 2nd Floor, No.12th Building of Xinhe Tongfuyu Industrial Park, Fuhai Street, Baoan District,
Shenzhen, Guangdong, China
Tel: (86)755-85277785 Fax: (86)755-23705230
[Http://www.aoc-cert.com](http://www.aoc-cert.com) Email: postmaster@aoc-cert.com

Report No.:AOC250522007R

Note:

- N.D. = Not Detected or less than MDL
- mg/kg = ppm
- MDL = Method Detection Limit
- Photo appendix is included.

Appendix

Photograph of Sample




Fig.1



Fig.2



Fig.3




Fig.4



Fig.5

AOCE authenticate the photo on original report only

***** End of Report *****