

| <p style="text-align: center;"><b>TEST REPORT</b></p> <p style="text-align: center;"><b>ECODESIGN REQUIREMENTS FOR ENERGY-RELATED PRODUCTS</b></p> <p style="text-align: center;"><b>Electric power consumption standby and off mode of electrical and electronic household and office equipment</b></p>                                                                                                                                                                                                                                                                                                                                |  |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|
| <p><b>Report Reference No.</b> .....: AOC250521003ER</p> <p>Compiled by (print+ signature) .....: Bruce Lin <span style="float: right;"><i>Bruce Lin</i></span></p> <p>Approved by (print+ signature) .....: Robin Liu <span style="float: right;"><i>Robin Lin</i></span></p> <p style="text-align: right;">-----<br/>Lab Supervisor</p> <p>Date of issue.....: 2025-05-28</p>                                                                                                                                                                                                                                                         |  |
| <p><b>Testing Laboratory</b>.....: Shenzhen AOCE Electronic Technology Service Co., Ltd</p> <p>Address.....: Room 202, 2nd Floor, No.12th Building of Xinhe Tongfuyu Industrial Park, Fuhai Street, Baoan District, Shenzhen, Guangdong, China</p> <p>Testing location/address.....: Same as above</p>                                                                                                                                                                                                                                                                                                                                  |  |
| <p><b>Applicant's name</b>.....: Zhongshan Vicko Home Appliance Co., Ltd.</p> <p>Address.....: Building 3 No.3 Nantou Dadao Central Nantou town Zhongshan City Guangdong Province China</p> <p><b>Manufacturer name</b>.....: Zhongshan Vicko Home Appliance Co., Ltd.</p> <p>Address.....: Building 3 No.3 Nantou Dadao Central Nantou town Zhongshan City Guangdong Province China</p> <p>Test Object.....: INDUCTION COOKER</p> <p>Trade Mark.....: N/A</p> <p>Model / Type reference.....: VK2835, VK2525 (Only the model name and appearance are different)</p> <p>Rated parameter .....: Input: 220-240V~, 50/60Hz, 2000W Max</p> |  |
| <p><b>Test specification:</b></p> <p>Standard .....: EN 50564:2011; COMMISSION REGULATION (EC) No 1275/2008, (EC) No 801/2013</p> <p>Test procedure .....: Test report</p> <p>Non-standard test method .....: N/A</p>                                                                                                                                                                                                                                                                                                                                                                                                                   |  |
| <p><b>Test Report Form No.</b>.....: IECEE TRF No. EN 50564:2011</p> <p>Test Report Form(s) Originator .....: AOCE</p> <p>Master TRF.....: 2019-11-30</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |  |

| Summary of Testing:                                                                                                                                                                                                                                                                                                                                   |                                                                                                                                                                                                      |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Tests performed (name of test and test clause):                                                                                                                                                                                                                                                                                                       | Testing location:                                                                                                                                                                                    |
| <p>The sample(s) tested complies with the requirements of EN 50564:2011; COMMISSION REGULATION (EC) No 1275/2008, (EC) No 801/2013</p> <p>When determining the test conclusion. The Measurement Uncertainty of test has be enconsidered.</p>                                                                                                          | <p>Shenzhen AOCE Electronic Technology Service Co., Ltd</p> <p>Room 202, 2nd Floor, No.12th Building of Xinhe Tongfuyu Industrial Park, Fuhai Street, Baoan District, Shenzhen, Guangdong, China</p> |
| Summary of Compliance with National Differences:                                                                                                                                                                                                                                                                                                      |                                                                                                                                                                                                      |
| N/A                                                                                                                                                                                                                                                                                                                                                   |                                                                                                                                                                                                      |
| Copy of Marking Plate:                                                                                                                                                                                                                                                                                                                                |                                                                                                                                                                                                      |
| <div style="border: 1px solid black; padding: 10px; text-align: center;"> <p><b>INDUCTION COOKER</b></p> <p>Model: VK2835</p> <p>Input: 220-240V~, 50/60Hz, 2000W Max</p>  <p><b>Zhongshan Vicko Home Appliance Co.,Ltd.</b></p> <p><b>MADE IN China</b></p> </div> |                                                                                                                                                                                                      |

|                                                                                                                                                                                                                                      |                          |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------|
| <b>Test item particulars</b>                                                                                                                                                                                                         |                          |
| Classification of installation and use.....:                                                                                                                                                                                         | Movable appliance        |
| Supply Connection.....:                                                                                                                                                                                                              | Supply cord with a plug  |
| Allowance for off mode.....:                                                                                                                                                                                                         | Yes                      |
| Allowance for standby mode(s).....:                                                                                                                                                                                                  | Yes                      |
| Allowance for display function in standby mode.....:                                                                                                                                                                                 | No                       |
| Allowance for off mode and/or standby mode.....:                                                                                                                                                                                     | Yes                      |
| <b>Possible Test Case Verdicts:</b>                                                                                                                                                                                                  |                          |
| Test case does not apply to the test object.....:                                                                                                                                                                                    | N/A (Not Applicable)     |
| Test object does meet the requirement.....:                                                                                                                                                                                          | P (Pass)                 |
| Test object does not meet the requirement.....:                                                                                                                                                                                      | F (Fail)                 |
| <b>Testing:</b>                                                                                                                                                                                                                      |                          |
| Ambient temperature of tested .....                                                                                                                                                                                                  | 25.0 °C                  |
| Test inputs.....:                                                                                                                                                                                                                    | 230V~, 50Hz              |
| Sample size for tested .....                                                                                                                                                                                                         | 1 pcs                    |
| Date of receipt of test item.....:                                                                                                                                                                                                   | 2025-05-19               |
| Date (s) of performance of tests.....:                                                                                                                                                                                               | 2025-05-19 to 2025-05-23 |
| <b>General Remarks:</b>                                                                                                                                                                                                              |                          |
| Note: This test report is prepared for the customer shown above and for the device described herein. It may not be duplicated or use in part without prior written consent from Shenzhen AOCE Electronic Technology Service Co., Ltd |                          |
| <b>Note:</b>                                                                                                                                                                                                                         |                          |
| N/A                                                                                                                                                                                                                                  |                          |

|                                                                        |                                  |  |
|------------------------------------------------------------------------|----------------------------------|--|
| <b>Table 1</b>                                                         | Test parameters for measurements |  |
| Model No.:                                                             | P1                               |  |
| The measurement method used.....:                                      | EN 50564:2011                    |  |
| The measurement method used.....:                                      | 25.0 °C                          |  |
| Test voltage in V and frequency in Hz.....:                            | 230V~, 50Hz                      |  |
| Total harmonic distortion (THD) of the electricity supply system.....: | 0.87%                            |  |
| Description of how the appliance mode was selected or programmed.....: | --                               |  |
| Other notes regarding the operation of the equipment.....:             | --                               |  |

|                   |                                                                                                                          |              |           |
|-------------------|--------------------------------------------------------------------------------------------------------------------------|--------------|-----------|
| <b>Table 2</b>    | Test result                                                                                                              |              | P         |
| Model No.:        | VK2835                                                                                                                   |              |           |
| Operating mode(s) |                                                                                                                          | Measured (W) | Limit (W) |
| Off mode.....:    |                                                                                                                          | 0.38         | 0.5       |
| Result:           | The ERP comply with the ecodesign requirements Stage 1 / Stage 2 of ANNEX II of COMMISSION REGULATION (EC) No 1275/2008. |              |           |

|                    |                                                                                                                          |              |           |
|--------------------|--------------------------------------------------------------------------------------------------------------------------|--------------|-----------|
| <b>Table 3</b>     | Test result                                                                                                              |              | P         |
| Model No.:         | VK2835                                                                                                                   |              |           |
| Operating mode(s)  |                                                                                                                          | Measured (W) | Limit (W) |
| Standby mode.....: |                                                                                                                          | 0.43         | 0.5       |
| Result:            | The ERP comply with the ecodesign requirements Stage 1 / Stage 2 of ANNEX II of COMMISSION REGULATION (EC) No 1275/2008. |              |           |

|                              |                                                                                                                |              |           |
|------------------------------|----------------------------------------------------------------------------------------------------------------|--------------|-----------|
| <b>Table 4</b>               | Test result                                                                                                    |              | N/A       |
| Model No.:                   | --                                                                                                             |              |           |
| Operating mode(s)            |                                                                                                                | Measured (W) | Limit (W) |
| Networked standby mode.....: |                                                                                                                | --           | --        |
| Result:                      | The ERP comply with the ecodesign requirements as of 1 January 2019 of COMMISSION REGULATION (EC) No 801/2013. |              |           |

**Test Equipment List**

| Equipment Name                 | Manufacturer                             | Model No.        | Reference No. | Calibration Due Date |
|--------------------------------|------------------------------------------|------------------|---------------|----------------------|
| Frequency Converter            | OYHS                                     | OYHS-98850-50KVA | AOC-S-001     | 2026.4.13            |
| Digital Power Meter            | EVERFINE                                 | WT310E           | AOC-S-012     | 2026.4.13            |
| Digital temperature hygrometer | Shenzhen Ritors Instrumentation Co., Ltd | RTS-8            | AOC-S-067     | 2026.4.13            |

## Product Photo



Fig. 1(Model name: VK2835)



Fig. 2(Model name: VK2835)



Fig. 3(Model name: VK2835)



Fig. 4(Model name: VK2835)





Fig. 5(Model name: VK2525)



Fig. 6(Model name: VK2525)

-- End of Report --