

TEST REPORT IEC 62493

Assessment of lighting equipment related to human exposure to electromagnetic fields

Report Number.: AOC251010007S

Date of issue: 2025-10-15

Total number of pages 9 pages

Name of Testing Laboratory Shenzhen AOCE Electronic Technology Service Co., Ltd

preparing the Report: Room 202, 2nd Floor, No.12th Building of Xinhe Tongfuyu Industrial

Park, Fuhai Street, Baoan District, Shenzhen, Guangdong, China

Applicant's name.....: Limited Liability Company «Energoresursy» (LLC «Energoresursy»)

Address: RF, 198205, St.Peterburg, sh.Tallinskoe (Staro-Panovo ter.), no.

198, bldg.. 2, lit. Ah, pom. 1-N, office 1

Test specification:

Standard: IEC 62493 (ed.2)

Test procedure....:: Type testing

Non-standard test method.....: N/A

Test Report Form No.....: IEC62493B

Test Report Form(s) Originator....: Intertek Semko AB

Master TRF: 2016-04

Copyright © 2016 IEC System of Conformity Assessment Schemes for Electrotechnical Equipment and Components (IECEE System). All rights reserved.

This publication may be reproduced in whole or in part for non-commercial purposes as long as the IECEE is acknowledged as copyright owner and source of the material. IECEE takes no responsibility for and will not assume liability for damages resulting from the reader's interpretation of the reproduced material due to its placement and context.

If this Test Report Form is used by non-IECEE members, the IECEE/IEC logo and the reference to the CB Scheme procedure shall be removed.

General disclaimer:

The test results presented in this report relate only to the object tested.

This report shall not be reproduced, except in full, without the written approval of the Issuing CB Testing Laboratory. The authenticity of this Test Report and its contents can be verified by contacting the NCB, responsible for this Test Report.

Tel: (86)755-85277785 Fax: (86)755-23705230 E-mail: postmaster@aoc-cert.com

| Test item description: Lumina | | | aire | | |
|--|-----------------------------------|---|------------------------------------|----------------------------------|--|
| Trade Mark N/A | | | | | |
| | | MEN LANGJIE TRADING CO., LTD | | | |
| | | 1 407, 11 BUILDING YIN EN, JIANGMEN, GUANC | GCUI, ZHONGTIANGUOJI | | |
| Mode | el/Type reference: | | IAIRE LINEAR LL-MWJ0 | | |
| | ngs:: | 220-2/ | 10 V~, 50/60 Hz, 36 W, C | lace II IP 40 ta:55 °C | |
| Itatii | | 220-22 | +0 V~, 50/00 F12, 50 VV, C | 10.00 | |
| Poer | oonsible Testing Laboratory (as a | nnlicah | ala) tasting procedure s | and tosting location(s): | |
| | | ppiicas | T | . , | |
| \boxtimes | Testing Laboratory: | | Shenzhen AOCE Electro | onic Technology Service Co., Ltd | |
| Testing location/ address: | | Room 202, 2nd Floor, No.12th Building of Xinhe Tongfuyu Industrial Park, Fuhai Street, Baoan District, Shenzhen, Guangdong, China | | | |
| Tested by (name, function, signature): | | | ZhiCong Xian Technical Engineer | ZhiCong Xian Robin. Lin | |
| Approved by (name, function, signature): | | Robin Lin Technical Manager | Robin. Lin | | |
| | | | | | |
| Ш | Testing procedure: CTF Stage 1: | | N/A | | |
| Testi | ing location/ address | : | | | |
| Test | ed by (name, function, signature) | : | | | |
| Appr | oved by (name, function, signatu | re) : | | | |
| | | | | | |
| | Testing procedure: CTF Stage 2: | | N/A | | |
| Testing location/ address: | | | | | |
| Test | ed by (name + signature) | : | | | |
| Witn | essed by (name, function, signati | ure).: | | | |
| Approved by (name, function, signature): | | | | | |
| | | | | | |
| ☐ Testing procedure: CTF Stage 3: | | N/A | | | |
| ☐ Testing procedure: CTF Stage 4: | | N/A | | | |
| Testing location/ address: | | | | | |
| Tested by (name, function, signature): | | | | | |
| Witnessed by (name, function, signature).: | | | | | |
| Approved by (name, function, signature): | | | | | |
| Supervised by (name, function, signature): | | | | | |

| List of Attachments (including a total number of | pages in each attachment): | | | | |
|--|---|--|--|--|--|
| Attachment No.1: Photo document. | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| Summary of testing: | | | | | |
| Tests performed (name of test and test clause): | Testing location: | | | | |
| - Full tests are carried out on LUMINAIRE LINEAR LL-MWJ01-36W | Shenzhen AOCE Electronic Technology Service Co., Ltd | | | | |
| | Room 202, 2nd Floor, No.12th Building of Xinhe Tongfuyu Industrial Park, Fuhai Street, Baoan District, Shenzhen, Guangdong, China | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| Summary of compliance with National Differences (List of countries addressed): | | | | | |
| N/A | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |

Copy of marking plate:

The artwork below may be only a draft. The use of certification marks on a product must be authorized by the respective NCBs that own these marks.

Luminaire

LUMINAIRE LINEAR LL-MWJ01-36W 220-240 V~, 50/60 Hz, 36 W, IP 40, ta:55°C



Manufacturer: JIANGMEN LANGJIE TRADING CO., LTD

Address: ROOM 407, 11 BUILDING YINGCUI, ZHONGTIANGUOJI

GARDEN, JIANGMEN, GUANGDONG, CHINA

Made in China

Tel: (86)755-85277785 Fax: (86)755-23705230 E-mail: postmaster@aoc-cert.com

| Test item particulars: | | | | | |
|--|--|--|--|--|--|
| Classification of installation and use:: | Fixed Lumianaire SPO | | | | |
| Supply Connection:: | Supply cords | | | | |
| ······: | | | | | |
| Possible test case verdicts: | | | | | |
| - test case does not apply to the test object: | N/A | | | | |
| - test object does meet the requirement: | P (Pass) | | | | |
| - test object does not meet the requirement: | F (Fail) | | | | |
| Testing: | | | | | |
| Date of receipt of test item: | 2025-09-23 | | | | |
| Date (s) of performance of tests: | 2025-09-23 to 2025-10-15 | | | | |
| | | | | | |
| General remarks: | | | | | |
| General remarks: | | | | | |
| General remarks: "(See Enclosure #)" refers to additional information app "(See appended table)" refers to a table appended to the Throughout this report a □ comma / □ point is use | e report. | | | | |
| "(See Enclosure #)" refers to additional information app "(See appended table)" refers to a table appended to the | e report. ed as the decimal separator. | | | | |
| "(See Enclosure #)" refers to additional information app "(See appended table)" refers to a table appended to the Throughout this report a comma / point is use | e report. ed as the decimal separator. | | | | |
| "(See Enclosure #)" refers to additional information app "(See appended table)" refers to a table appended to the Throughout this report a comma / point is use Manufacturer's Declaration per sub-clause 4.2.5 of IB The application for obtaining a CB Test Certificate includes more than one factory location and a declaration from the Manufacturer stating that the sample(s) submitted for evaluation is (are) representative of the products from each factory has | e report. ed as the decimal separator. ECEE 02: Yes Not applicable | | | | |

| General product information: | | | | |
|------------------------------|-------------------------------|-------------------------------------|--|--|
| Description of the EUT | | Lumianaire SPO | | |
| | | Self-ballasted lamp | | |
| | | Built-in electronic control gear | | |
| | | Independent electronic control gear | | |
| | | Others: | | |
| Control Gear: | | Magnetic control gear / transformer | | |
| | √ | Electronic control gear | | |
| | | Others: | | |
| Lamp technology used: | | Fluorescent lamp | | |
| | | High pressure discharge lamp (HID) | | |
| | √ | Light emitting diode (LED) | | |
| | | Tungsten halogen lamp | | |
| | | Incandescent lamp | | |
| | | Others: | | |
| Model Number: | LUMINAIRE LINEAR LL-MWJ01-36W | | | |
| Brand: | | | | |
| Rated Voltage/Frequency: | \checkmark | AC: 50/60 Hz | | |
| | | DC: | | |
| | | AC/DC: | | |
| Rated Power | 36 W | | | |
| Protection Class | - | | | |
| Number of phases: | Single | | | |
| Accessories: | - | | | |

| | IEC 62493 | | | | |
|--------|---|------------------------------|------------|--|--|
| Clause | Requirement + Test | Result - Remark | Verdict | | |
| 4 | LIMITS | | - | | |
| 4.1 | General | | Р | | |
| | Comply with Van der Hoofden test limit in 4.2.3 or inherently compliant in 4.2.2 and pass assessment procedure for intentional radiators in 4.3 | | Р | | |
| 4.2 | Unintentional radiating part of lighting equipment | | Р | | |
| 4.2.2 | Lighting equipment deemed to comply with the Van de | Hoofden test without testing | Р | | |
| | 1) electronic controlgear | Yes ⊠ No □ | — | | |
| | 2) incandescent-lamp technology | Yes □ No ⊠ | _ | | |
| | 3) LED-light-source technology | Yes ⊠ No □ | _ | | |
| | 4) OLED-light-source technology | Yes □ No ⊠ | _ | | |
| | 5) high-pressure discharge lamp LED-light-source technologies | Yes □ No ⊠ | _ | | |
| | 6) low-pressure discharge lamp technologies with exposure distance ≥ 50 cm | Yes □ No ⊠ | _ | | |
| | 7) independent auxiliary | Yes □ No ⊠ | _ | | |
| | Not fulfil any of 1-7 above subject to 4.2.3 | | _ | | |
| 4.2.3 | Applications of limits | | Р | | |
| | Not fulfil any of 1-7 in 4.2.2 but the compliance factor F is ≤ 1 | | Р | | |
| 4.3 | Intentional radiating part of lighting equipment | | - | | |
| | Comply with one of methods in Clause 7 if intentional radiator | | N/A | | |
| | | | | | |
| 5 | GENERAL | | - | | |
| 5.1 | Measurand | T. | P | | |
| | Test head, measuring instrumentation and measuring conditions according Clause 5.1 – 5.8 | 0.002 % | Р | | |
| 6 | MEASUREMENT PROCEDURE FOR THE VAN DER H | HOOFDEN TEST | | | |
| 6.1 | General | | | | |
| | Measurements carried out under conditions according Clause 6.1 – 6.6 | See Table 6 | N/A N/A | | |
| | | | | | |
| 7 | ASSESSMENT PROCEDURE INTENTIONAL RADIAT | ORS | _ | | |

| | IEC 62493 | | |
|--------|--|-----------------|---------|
| Clause | Requirement + Test | Result - Remark | Verdict |
| 7.2 | Low-power exclusion method | | Р |
| 7.2.1 | Input Pint,rad | | |
| | Exclusion level P _{max} | | _ |
| | Input power $P_{\text{int,rad}}$ < exclusion level P_{max} | | N/A |
| 7.3 | Application of the EMF product standard for body w | N/A | |
| | If not Clause 7.2 is met and expose distance ≤ 0.05 m, comply with IEC 62209-2 | | N/A |
| 7.4 | Application of the EMF product standard for base st | N/A | |
| | If not Clause 7.2 is met and if intentional radiator is base station, comply with IEC 62232 | | N/A |
| 7.5 | Application of another EMF standard | | N/A |
| | If not Clause 7.2 is met and if intentional radiator cannot be considered as in Clause 7.3 or 7.4, comply with IEC 62311 | | N/A |


| 6 | TABLE: Measurement results with Van der Hoofden test head | | | | |
|------------|---|--------------------|------------|-----------|---------|
| Location o | f EuT | Measuring distance | Result (F) | Limit (F) | Verdict |
| - | | - | - | - | - |
| | | | | | |
| | | | | | |

| 6 TAB | TABLE: Equipment used during test with Van der Hoofden test head | | | | |
|---------------------------|--|--------------|------|---------|--|
| Equipment | | Manufacturer | Туре | ld. No. | |
| Van der Hoofden test head | | - | - | - | |
| Measurement receiver | | - | - | - | |
| | | | | | |

Attachment No.1

Product Photos

Details of: Overall view (model: LUMINAIRE LINEAR LL-MWJ01-36W)



---- End of test report -----

Tel: (86)755-85277785 Fax: (86)755-23705230 E-mail: postmaster@aoc-cert.com