Shenzhen AOCE Electronic Technology Service Co., Ltd.
Room 202, 2nd Floor, No.12th Building of Xinhe Tongfuyu Industrial Park, Fuhai Street, Baoan District, Shenzhen, Guangdong, China
Tel: (86)755-85277785 Fax: (86)755-23705230
Http://www.aoc-cert.com Email: postmaster@aoc-cert.com

TEST REPORT

Client company	:	**ShenZhen HOMA Technology Co.,Ltd.**
Client address	:	**301, Building 8, Nangang Second Industry Park, #1026, Songbai Road, Yangguang Community, Xili Town, Nanshan District, Shenzhen, Guangdong, China**
Manufacturer	:	**ShenZhen HOMA Technology Co.,Ltd.**
Address	:	**301, Building 8, Nangang Second Industry Park, #1026, Songbai Road, Yangguang Community, Xili Town, Nanshan District, Shenzhen, Guangdong, China**

Report on the submitted samples said to be:

Sample Name	:	**LED Flood Light**
Trade Mark	:	**N/A**
Style/ Item No.	:	**See Model List**
Sample Receiving Date	:	**September 1, 2025**
Testing Period	:	**September 1, 2025 ~ September 10, 2025**
Results	:	**Please refer to next page(s).**

****

Summary of Test Results:

TEST REQUEST	**CONCLUSION**
A **RoHS Directive (EU) 2017/2102 amending Annex II to Directive 2011/65/EU.**	**POSITIVE**

****

Signed for and on behalf of AOCE

Written By: Sunny Su
Sunny Su
File administrators

Approved by: Alice Zhou
Alice Zhou
Manager

Model List

Model	Difference
HFLF15-FL-VA-LXXX-XXK-XXW-EXXX-AXXX-EU	First LXXX represent size : L288:288*254*57 L332:332*279*57 L403:403*333*57 L490:490*418*74
	Second XXK represent CCT : 30K represent 3000K 40K represent 4000K 50K represent 5000K 57K represent 5700K 65K represent 6500K
	Third XXW represent power : 10W represent 10W 20W represent 20W 30W represent 30W 50W represent 50W 100W represent 100W 150W represent 150W 200W represent 200W 240W represent 240W 300W represent 300W
	Fourth EXXX represent light effect : E140 represent 140lm/W E160 represent 160lm/W E170 represent 170lm/W E180 represent 180lm/W
	Fifth AXXX represent luminous angle : A025 represent 25°

	A055 represent 55° A060 represent 60° A090 represent 90° A120 represent 120° AP30 represent P30 AP45 represent P45 AT2S represent T2S A10060 represent 100×60° A12045 represent 120×45° A100150 represent 100×150° A120150 represent 120×150° A130160 represent 130×160°
HMWF15-FL-VB-LXXX-XXK-XXW-EXXX-AXXX-EU-XXX-OTA-3.0	First LXXX represent size : L195:195*197*42 L290:290*230*48 L308:308*302*53 L358:358*302*53 L372:372*352*53 L430:430*403*58
	Second XXK represent CCT : 30K represent 3000K 40K represent 4000K 50K represent 5000K 57K represent 5700K 65K represent 6500K
	Third XXW represent power : 10W represent 10W 20W represent 20W 30W represent 30W 50W represent 50W

	100W represent 100W 150W represent 150W 200W represent 200W 240W represent 240W 300W represent 300W
	Fourth EXXX represent light effect : E100 represent 100lm/W E130 represent 130lm/W E150 represent 150lm/W E160 represent 160lm/W E170 represent 170lm/W
	Fifth AXXX represent luminous angle : A020 represent 20° A030 represent 30° A045 represent 45° A060 represent 60° A090 represent 90° A120 represent 120° AT2M represent T2M AT3M represent T3M AP30 represent P30 AP45 represent P45
	Sixth XXX represent sensor type : PD: PIR+Daylight sensor PID: PIR+ InfraredDaylitght sensor MID:Microwave+InfraredDaylitght sensor

Results:

A. EU RoHS Directive 2011/65/EU and its amendment directives on XRF

Test method: With reference to IEC 62321-3-1:2013, Screening by X-ray Fluorescence Spectroscopy (XRF)

Seq. No.	Tested Part(s)	Results				
		Pb	Cd	Hg	Cr	Br
1	Black metal enclosure	BL	BL	BL	BL	BL
2	Black wire	BL	BL	BL	BL	BL
3	Blue wire	BL	BL	BL	BL	BL
4	Red wire	BL	BL	BL	BL	BL
5	Grey wire	BL	BL	BL	BL	BL
6	Yellow wire	BL	BL	BL	BL	BL
7	Lamp shade	BL	BL	BL	BL	BL
8	Lamp bead	BL	BL	BL	BL	BL
9	Silver metal screw	BL	BL	BL	BL	BL
10	Chips of resistance	BL	BL	BL	BL	BL
11	Chips of capacitance	BL	BL	BL	BL	BL
12	PCB	BL	BL	BL	BL	BL
13	Solder on PCB	BL	BL	BL	BL	BL

****

Note:

-- = Not Conducted

* = Screening by XRF and detected by chemical method. The test results of chemical method please refer to next pages.

i Results were obtained by XRF for primary screening, and further chemical testing by ICP (for Cd, Pb, Hg), UV-Vis (for Cr(Ⅵ)) and GC-MS (for PBBs, PBDEs) are recommended to be performed, if the concentration exceeds the below warning value according to IEC 62321-3-1:2013.

Element	Unit	Non-metal	Metal	Composite Material
Cd	mg/kg	BL≤70-3σ<X <130+3σ≤OL	BL≤70-3σ<X <130+3σ≤OL	BL≤50-3σ<X <150+3σ≤OL
Pb	mg/kg	BL≤700-3σ<X <1300+3σ≤OL	BL≤700-3σ<X <1300+3σ≤OL	BL≤500-3σ<X <1500+3σ≤OL
Hg	mg/kg	BL≤700-3σ<X <1300+3σ≤OL	BL≤700-3σ<X <1300+3σ≤OL	BL≤500-3σ<X <1500+3σ≤OL
Cr	mg/kg	BL≤700-3σ<X	BL≤700-3σ<X	BL≤500-3σ<X
Br	mg/kg	BL≤300-3σ<X	--	BL≤250-3σ<X

****

Note:

BL = Below Limit
OL = Over Limit
X = Inconclusive

ii The XRF screening test for RoHS elements – The reading may be different to the actual content in the sample be of non-uniformity composition.

iii The maximum permissible limit is quoted from the document 2005/618/EC amending RoHS directive 2011/65/EU:

RoHS Restricted Substances	**Maximum Concentration Value (mg/kg) (by weight in homogenous materials)**
Cadmium (Cd)	100
Lead (Pb)	1000
Mercury (Hg)	1000
Hexavalent Chromium (Cr(Ⅵ))	1000
Polybrominated biphenyls (PBBs)	1000
Polybrominated diphenylethers (PBDEs)	1000
Bis(2-ethylhexyl) phthalate(DEHP)	1000
Butyl benzyl phthalate(BBP)	1000
Dibutyl phthalate(DBP)	1000
Diisobutyl phthalate(DIBP)	1000

Disclaimers:

This XRF Screening report is for reference purposes only. The applicant shall make its/his/her own judgment as to whether the information provided in this XRF screening report is sufficient for its/his/her purposes.

The result shown in this XRF screening report will differ based on various factors, including but not limited to, the sample size, thickness, area, surface flatness, equipment parameters and matrix effect (e.g. plastic, rubber, metal, glass, ceramic etc.). Further wet chemical pre-treatment with relevant chemical equipment analysis are required to obtain quantitative data.

****

B. The Test Results of Chemical Method:

Test method:

Lead & Cadmium Content:
With reference to IEC 62321-5:2013, by acid digestion and analysis was performed by inductively coupled plasma atomic emission spectrometer (ICP-AES)

Mercury Content:
With reference to IEC 62321-4:2013, by acid digestion and analysis was performed by inductively coupled plasma atomic emission spectrometer (ICP-AES)

Hexavalent Chromium Content:
With reference to IEC 62321-7-1:2013, by alkaline digestion and analysis was performed by UV-visible spectrophotometer (UV-Vis)

PBBs & PBDEs Content:
With reference to IEC 62321-6:2015, by solvent extraction and analysis was performed by gas chromatographic-mass spectrometer (GC-MS)

Phthalates Content:
With reference to IEC 62321-8:2017, by gas chromatography-mass spectrometry (GC-MS)

1) The test results of Lead (Pb)

Item	**Unit**	**MDL**	**Results**		**Limit**
			(1)	(2)	
Lead Content (Pb)	mg/kg	2	38	21	1000 mg/kg
Conclusion	***I***	***I***	**Pass**	**Pass**	/

****

2) The test results of PBBs & PBDEs

Item	Unit	MDL	Results		Limit
			1	2	
Polybrominated Biphenyls (PBBs)					
Monobromobiphenyl	mg/kg	5	N.D.	N.D.	
Dibromobiphenyl	mg/kg	5	N.D.	N.D.	
Tribromobiphenyl	mg/kg	5	N.D.	N.D.	
Tetrabromobiphenyl	mg/kg	5	N.D.	N.D.	
Pentabromobiphenyl	mg/kg	5	N.D.	N.D.	
Hexabromobiphenyl	mg/kg	5	N.D.	N.D.	
Heptabromobiphenyl	mg/kg	5	N.D.	N.D.	
Octabromobiphenyl	mg/kg	5	N.D.	N.D.	
Nonabromodiphenyl	mg/kg	5	N.D.	N.D.	
Decabromodiphenyl	mg/kg	5	N.D.	N.D.	
Total content	mg/kg	/	N.D.	N.D.	1000 mg/kg
Polybrominated Diphenylethers (PBDEs)(Mon-Deca)					
Monobromodiphenyl ether	mg/kg	5	N.D.	N.D.	
Dibromodiphenyl ether	mg/kg	5	N.D.	N.D.	
Tribromodiphenyl ether	mg/kg	5	N.D.	N.D.	
Tetrabromodiphenyl ether	mg/kg	5	N.D.	N.D.	
Pentabromodiphenyl ether	mg/kg	5	N.D.	N.D.	
Hexabromodiphenyl ether	mg/kg	5	N.D.	N.D.	
Heptabromodiphenyl ether	mg/kg	5	N.D.	N.D.	
Octabromodiphenyl ether	mg/kg	5	N.D.	N.D.	
Nonabromodiphenyl ether	mg/kg	5	N.D.	N.D.	
Decabromodiphenyl ether	mg/kg	5	N.D.	N.D.	
Total content	mg/kg	/	N.D.	N.D.	1000 mg/kg

****

Item	Unit	MDL	Results					Limit
			(1)	(2)	(3)	(4)	(5)	
Dibuyl Phthalate(DBP)	mg/kg	50	N.D.	N.D.	N.D.	N.D.	N.D.	1000 mg/kg
Benzylbutyl Phthalate(BBP)	mg/kg	50	N.D.	N.D.	N.D.	N.D.	N.D.	1000 mg/kg
Bis(2-ethylhexyl) Phthalate(DEHP)	mg/kg	50	N.D.	N.D.	N.D.	N.D.	N.D.	1000 mg/kg
Diispbutyl phthalate(DIBP)	mg/kg	50	N.D.	N.D.	N.D.	N.D.	N.D.	1000 mg/kg

Item	Unit	MDL	Results					Limit
			(6)	(7)	(8)	(9)	(10)	
Dibuyl Phthalate(DBP)	mg/kg	50	N.D.	N.D.	N.D.	N.D.	N.D.	1000 mg/kg
Benzylbutyl Phthalate(BBP)	mg/kg	50	N.D.	N.D.	N.D.	N.D.	N.D.	1000 mg/kg
Bis(2-ethylhexyl) Phthalate(DEHP)	mg/kg	50	N.D.	N.D.	N.D.	N.D.	N.D.	1000 mg/kg
Diispbutyl phthalate(DIBP)	mg/kg	50	N.D.	N.D.	N.D.	N.D.	N.D.	1000 mg/kg

Item	Unit	MDL	Results					Limit
			(11)	(12)	(13)	--	--	
Dibuyl Phthalate(DBP)	mg/kg	50	N.D.	N.D.	N.D.	--	--	1000 mg/kg
Benzylbutyl Phthalate(BBP)	mg/kg	50	N.D.	N.D.	N.D.	--	--	1000 mg/kg
Bis(2-ethylhexyl) Phthalate(DEHP)	mg/kg	50	N.D.	N.D.	N.D.	--	--	1000 mg/kg
Diispbutyl phthalate(DIBP)	mg/kg	50	N.D.	N.D.	N.D.	--	--	1000 mg/kg

****

Note:

- N.D. = Not Detected or less than MDL
- mg/kg = ppm
- MDL = Method Detection Limit
- Photo appendix is included.

****

Appendix

Photograph of Sample

Fig.1

Fig.2

Fig.3



Fig.4

Fig.5

Fig.6



Fig.7

AOCE authenticate the photo on original report only

********** End of Report **********